

A Model of Vipassana Meditation Practice for Psychological Well-Being Empowerment in Elderly Women*



¹Phramaha Weerasak Sangphong, Nadnapang Phophichit,
Narumon Jiwattanasuk and Sakchai Sakabucha

International Buddhist Studies College, Mahachulalongkornrajavidyalaya University, Thailand.

¹Corresponding Author's Email: mahawerasak@gmail.com

Abstract

This research, titled “A Model of Vipassana Meditation Practice for Psychological Well-being Empowerment in Elderly Women”, had three main objectives: 1) To explore concepts and theories of psychological well-being, empowerment, and the contexts, problems, and needs of elderly women in Vipassana meditation practice. 2) To develop and examine the effects of Vipassana Meditation Practice on psychological well-being empowerment in elderly women. 3) To present a model of Vipassana Meditation Practice for psychological well-being empowerment in elderly women. This study employed a mixed-methods approach, combining qualitative (in-depth interviews with Vipassana Masters and elderly practitioners) and experimental research (involving 15 elderly women practicing the Four Foundations of Mindfulness). Data were analyzed using descriptive methods and thematic analysis.

The research findings are presented in accordance with the three research objectives as follows: 1) The findings show that elderly women commonly experience stress, loneliness, and health-related anxiety, which affect their psychological well-being and sense of empowerment. Vipassana meditation was identified as a practice that corresponds well with their life contexts and psychological needs, particularly in enhancing emotional regulation and inner strength. 2) The results of the Vipassana meditation practice indicate significant improvements in psychological well-being among elderly women, including reduced stress, improved sleep quality, enhanced emotional stability, increased self-efficacy, and greater mindfulness in daily life. Social interaction within the practice also strengthened participants' sense of empowerment. 3) A structured model of Vipassana meditation practice was developed, integrating core meditation techniques, elderly-friendly adaptations, community support, and guidelines for sustainable practice. This model provides an effective and accessible framework for promoting psychological well-being empowerment in elderly women and can be applied in meditation centers, eldercare programs, and community settings.

Keywords: Vipassana Meditation; Psychological Well-Being; Empowerment; Elderly Women; Mindfulness

*Received September 2, 2025; Revised June 12, 2026; Accepted June 20, 2026

Introduction

The global demographic landscape is experiencing a significant shift due to increased life expectancy and declining birth rates. This phenomenon, known as population aging, is particularly pronounced in developed nations and is increasingly evident in developing countries. Improvements in healthcare, nutrition, and living standards have contributed to longer and healthier lives. However, this demographic transition presents substantial challenges to societies worldwide, affecting economic stability, healthcare systems, and social structures (World Bank, 2023).

Populations around the world are aging at an unprecedented rate, raising concerns about how societies will support their older members. In 2019, more than one billion people globally were aged 60 years and above, and this number is projected to reach 2.1 billion by 2050 (World Bank, 2023). As the proportion of elderly individuals rises, the working-age population declines, leading to labor shortages and reduced productivity. In addition, increasing pension and healthcare expenditures place considerable strain on national budgets (National Committee on Aging, 2023).

Healthcare challenges also accompany population aging. Older adults are more likely to suffer from chronic illnesses such as hypertension, diabetes, and arthritis, resulting in greater demand for healthcare services (Thailand Ministry of Public Health, 2022). This growing demand may overwhelm healthcare systems, increasing costs and the need for long-term care services. The social implications of an aging society are equally significant. Many elderly individuals experience loneliness and social isolation, particularly those lacking strong family support networks. In traditional societies such as Thailand, rapid urbanization and changing family structures have reduced the availability of familial caregiving for older adults (Knodel and Chayovan, 2021).

Unique Challenges Faced by Elderly Women in Thailand

Elderly Thai women face multiple and interconnected challenges that threaten their economic security, health, and psychological well-being. One major issue is widowhood and social isolation. Women are more likely than men to live alone in old age due to their longer life expectancy. In Thailand, less than half of elderly women live with a spouse, compared to nearly 80 percent of elderly men (National Statistical Office of Thailand [NSO], 2021). The absence of a partner or co-resident family member increases vulnerability to loneliness and depression, which negatively affect quality of life (Berkman, 2020).

Financial insecurity is another critical challenge. Many elderly women have limited income and savings due to lower lifetime earnings and historical gender inequalities in education and employment. Nearly half of Thailand's population lacks retirement pension coverage, and only about one-third of older persons report having personal savings (NSO, 2017). Most elderly Thais depend on the Old Age Allowance provided by the government, which ranges from 600 to 1,000 THB per month, an amount insufficient to meet basic living

costs (Government of Thailand, Ministry of Social Development and Human Security, 2023). Economic insecurity contributes to psychological stress, anxiety, and diminished self-worth among elderly women (World Bank, 2023).

Access to healthcare and long-term care services remains limited, particularly for elderly women with chronic conditions and disabilities. Although Thailand has achieved near-universal health coverage for acute care, long-term care services for conditions such as dementia and mobility impairment are still inadequate (Thailand Ministry of Public Health, 2022). Traditional family-based caregiving has weakened as family size declines and younger generations migrate to urban areas, leaving many elderly women without adequate support (Knodel and Chayovan, 2021). Insufficient healthcare access can exacerbate physical pain, emotional distress, and loss of independence.

The digital divide further compounds these challenges. Many elderly women lack digital literacy and access to digital technologies, limiting their ability to use online services, telehealth platforms, and social media. Fewer than 15 percent of Thais aged 75 and above have internet access, and more than one-third of individuals aged 60 and above have never used the internet (Pew Research Center, 2021; National Statistical Office of Thailand, 2021). Limited digital access reinforces social isolation and reduces opportunities for participation in an increasingly digital society (Charness, 2021).

Vipassana meditation, a Pali term meaning “insight,” is a contemplative practice rooted in the Theravada Buddhist tradition that emphasizes mindful awareness of bodily sensations, feelings, and mental states. The practice cultivates clarity, equanimity, and insight into the nature of reality (Analayo, 2003; Buddhaghosa, 2010). Vipassana meditation has gained global recognition for its effectiveness in reducing stress, enhancing emotional regulation, and promoting psychological well-being (Gunaratana, 2011; Hart, 1987).

For elderly women, Vipassana meditation offers a holistic approach to psychological well-being empowerment by addressing stress, emotional instability, and social isolation. Regular meditation practice has been shown to reduce anxiety, improve emotional regulation, and foster compassion and social connectedness (Bhikkhu Bodhi, 2011; Hetherington, 2003). Group meditation activities further strengthen a sense of belonging and mutual support among elderly practitioners (Berkman, 2020).

In conclusion, population aging in Thailand and globally necessitates innovative yet culturally grounded approaches to support elderly populations. Elderly women, who face compounded social, economic, and health-related challenges, require targeted interventions. Vipassana meditation presents a promising model for psychological well-being empowerment by integrating mindfulness, emotional resilience, social engagement, and self-acceptance within a single practice. When incorporated into community programs and public health initiatives, Vipassana meditation can contribute to healthy aging, improved quality of life, and reduced societal burdens associated with aging populations (World Bank, 2023).

Objectives of the Research

1. To explore concepts and theories of psychological well-being, empowerment, and the contexts, problems, and needs of elderly women in Vipassana meditation practice.
2. To develop and examine the effects of Vipassana Meditation Practice on psychological well-being empowerment in elderly women.
3. To present a model of Vipassana Meditation Practice for psychological well-being empowerment in elderly women.

Research Methodology

This study employed a qualitative research approach to explore the impact of Vipassana meditation on the psychological well-being and empowerment of elderly women. The research was conducted in two phases: Phase 1, which focused on exploring relevant concepts, theories, and the needs of elderly women in Vipassana practice through literature review and in-depth interviews; and Phase 2, which involved the development and validation of a structured Vipassana meditation practice model.

The target population consisted of two groups: (1) six Vipassana Masters, including Buddhist abbots and meditation instructors, who served as key informants, and (2) fifteen elderly women (aged 60 and above) who had practiced Vipassana meditation for at least one year. Purposive sampling was employed to ensure the inclusion of participants with direct experience and expertise.

Data collection methods included literature review, semi-structured in-depth interviews, non-participant observations at meditation centers, and follow-up interviews in Phase 2. Interviews lasted 45–60 minutes and were conducted face-to-face or virtually, allowing participants to share experiences, challenges, and perceived benefits of Vipassana meditation.

For data analysis, a thematic analysis method was applied. The process involved verbatim transcription, familiarization with the data, coding, identification of key themes, and interpretation. Findings were further validated through consultation with meditation experts to ensure credibility and accuracy.

This methodological design enabled a comprehensive exploration of the lived experiences of elderly women in Vipassana practice and the development of an evidence-based model to enhance psychological well-being and empowerment.

Research Results

The 1st objective is to examine theoretical perspectives on psychological well-being, psychological empowerment, and the context, challenges, and needs of elderly women in Vipassana meditation practice.

From the research findings, it was revealed that elderly women face unique challenges across physical, psychological, and social domains, including loneliness, declining health, and loss of social roles. In-depth interviews with 15 elderly women practitioners and six Vipassana masters indicated that theoretical perspectives on mindfulness align with the actual benefits experienced by practitioners. Specifically, Vipassana meditation fosters self-acceptance, emotional regulation, and positive relationships—all components of well-being as conceptualized by Ryff (1989). Furthermore, Vipassana enhances psychological empowerment by equipping practitioners with tools for stress management and strengthening self-efficacy. Nevertheless, elderly women expressed specific needs, such as meditation environments and instructional methods adapted to physical limitations, emotional support, and community engagement to alleviate loneliness.

The 2nd objective is to develop and evaluate the impact of Vipassana meditation practice on the psychological well-being and empowerment of elderly women.

From the research findings, it was shown that after participating in an intensive 8-day Vipassana retreat, all 15 elderly women reported noticeable improvements in psychological well-being and self-empowerment. The key outcomes included:

Emotional regulation and positive affect – participants managed anger, sadness, and anxiety more effectively, experiencing greater calmness and happiness.

Stress reduction – levels of stress and stress-related physical symptoms were significantly reduced.

Self-confidence and empowerment – participants reported increased confidence and self-reliance.

Resilience in facing challenges – enhanced ability to cope with physical pain and life difficulties.

Social connectedness – participants felt a greater sense of belonging within the meditation community despite the retreat's silent environment.

Key techniques contributing to these outcomes included Sitting Vipassana Meditation, Body Scan, Mindful Walking, and Loving-Kindness Meditation.

The 3rd objective is to present a structured Vipassana meditation practice model for enhancing psychological well-being and empowerment among elderly women.

From the research findings, it was found that the developed model was grounded in Ryff's theory of psychological well-being and Vipassana meditation principles, tailored specifically to meet the needs of elderly women. The model consisted of:

Flexible program structures – including retreat-based, community-based, and home-based practice options.

Daily practice routines – integrating sitting meditation, body scan, mindful walking, and loving-kindness meditation.

Elderly-friendly adaptations – such as allowing chair meditation, shortening sitting duration, increasing rest breaks, and using simple language.

Implementation framework – applicable in meditation centers, community programs, and individual practice, with emphasis on community participation and continuous support.

The model is expected to foster improved emotional regulation, stronger self-confidence, enhanced social bonds, and greater acceptance of age-related physical changes. Future studies are needed to refine and evaluate the model for optimal effectiveness.

The New Body of Knowledge



Figure 1: The New Body of Knowledge

This research provides valuable knowledge that can be directly applied to improve the mental, emotional, and social well-being of elderly women. The key takeaways include:

Mindfulness as a Tool for Aging Well – Elderly women can use Vipassana meditation to cultivate peace, patience, and resilience in daily life, reducing stress and emotional suffering.

Emotional Regulation Through Meditation – Techniques such as body scan and breath awareness help practitioners observe emotions without overreacting, leading to greater emotional stability and self-control.

Building Self-Empowerment – Regular practice of loving-kindness meditation strengthens self-compassion and confidence, helping elderly women feel more empowered and in control of their mental and emotional well-being.

Social Connection Through Mindfulness – Meditation retreats and community-based programs foster a sense of belonging, reducing loneliness and increasing interpersonal relationships.

Adaptable Meditation for Physical Limitations – Older adults can still practice mindfulness effectively through chair-based meditation, mindful walking, and shorter meditation sessions tailored to their needs.

Practical Daily Application – Simple mindfulness exercises, like focusing on breath while doing household chores or walking, can integrate meditation into everyday routines for lasting benefits.

By applying these insights, individuals, caregivers, and communities can develop effective mindfulness programs for elderly women, ensuring they experience greater emotional well-being, resilience, and life satisfaction in their later years.

The Vipassana Meditation Practice Model presented here provides a structured, adaptable, and effective framework to empower elderly women psychologically and emotionally. By integrating Vipassana principles into a supportive and accessible program, this model fosters well-being, self-confidence, and social connection, promoting holistic aging and lifelong personal growth.

Furthermore, this model serves as a bridge between traditional meditation practices and modern applications in gerontology and mental health care, offering elderly women an opportunity to cultivate resilience, mindfulness, and self-compassion. By consistently practicing meditation techniques such as body scanning, mindful walking, and loving-kindness meditation, participants develop a deeper sense of self-awareness, emotional stability, and interpersonal harmony.

Additionally, the model encourages community engagement by fostering social connections among practitioners. Through group meditation sessions, shared reflections, and peer support, elderly women can experience an enhanced sense of belonging and purpose, mitigating feelings of loneliness and isolation.

The adaptability of this model makes it a viable intervention for various settings, including meditation retreats, senior centers, healthcare facilities, and self-guided home practices. Its structured approach ensures that elderly women can engage with meditation practices at their own pace while gradually building their capacity for inner peace and psychological strength.

Future research and program expansions should explore how long-term integration of Vipassana meditation into community-based elder care can further enhance cognitive function, emotional resilience, and overall life satisfaction. By continuing to refine and implement this model, practitioners, caregivers, and policymakers can work together to create a sustainable framework for empowering aging populations through mindfulness and meditation.

Discussion of Research Results

From the research result of the 1st objective, it was found that elderly women experience psychological challenges such as stress, loneliness, emotional distress, and anxiety related to health and aging. Vipassana meditation was found to correspond well with their psychological needs by supporting emotional regulation, acceptance, and inner balance. This is because Vipassana meditation emphasizes mindfulness, non-judgmental awareness, and insight into impermanence, which help practitioners observe emotional experiences calmly and reduce psychological suffering. This finding is consistent with the concepts and theories of psychological well-being and mindfulness, as well as previous research indicating that contemplative practices enhance emotional stability and mental resilience among older adults (e.g., Ryff, 1989; Kabat-Zinn, 1994; Lazar et al., 2005).

From the research result of the 2nd objective, it was found that Vipassana meditation practice significantly enhanced psychological well-being and empowerment in elderly women, including reduced stress, improved sleep quality, increased self-efficacy, emotional stability, and mindfulness in daily life. Participants also developed greater confidence in managing emotions and life challenges. This is because regular meditation practice cultivates self-awareness, attentional control, and adaptive coping strategies, enabling practitioners to respond to stressors more effectively. These results are consistent with theories of self-empowerment and mindfulness-based interventions, as well as empirical studies demonstrating the positive effects of meditation on mental health, self-efficacy, and quality of life in aging populations (e.g., Bandura, 1997; Grossman et al., 2004; Chiesa and Serretti, 2009).

From the research result of the 3rd objective, it was found that a structured model of Vipassana meditation practice for psychological well-being empowerment in elderly women can be developed by integrating core meditation techniques, elderly-friendly adaptations, community support, and guidelines for long-term sustainability. This is because a holistic and

context-sensitive approach enhances accessibility, continuity of practice, and social connectedness, which are essential for sustaining psychological well-being in later life. This finding is consistent with holistic health models and community-based mindfulness frameworks that emphasize the integration of individual practice, social support, and sustainable program design to promote healthy aging (e.g., WHO, 2015; Rowe and Kahn, 1997).

Conclusion

The Vipassana Meditation Practice Model presented in this study provides a structured, adaptable, and effective approach to empower elderly women psychologically and emotionally. By integrating Vipassana principles into a supportive and accessible program, this model fosters mental well-being, self-confidence, and social connection, promoting holistic aging and lifelong personal growth.

Additionally, the model serves as a valuable tool for enhancing emotional resilience, reducing stress, and cultivating self-awareness. By providing a consistent meditation framework, elderly women gain a sense of stability, purpose, and empowerment in their later years. The structured practice routines facilitate emotional processing, offering participants the opportunity to navigate life's challenges with greater ease and acceptance.

Moreover, this model provides a lifelong approach to inner peace and well-being, helping elderly women develop emotional fortitude to face aging-related difficulties with calmness, dignity, and self-acceptance. Through continuous engagement with Vipassana meditation, participants foster a mindset of self-compassion and emotional balance, reducing tendencies toward anxiety, fear, and social isolation. The mindfulness techniques embedded in the model encourage self-inquiry, personal growth, and a deep sense of gratitude, allowing elderly women to view aging as a natural and meaningful phase of life rather than a period of decline.

By integrating the Vipassana Meditation Practice Model into community programs, eldercare initiatives, and personal wellness routines, its benefits can extend beyond individual practitioners to broader societal impacts, contributing to healthier aging populations and improved mental health in elderly communities. Future research should focus on refining the model further, tailoring it for specific cultural and demographic needs, and examining its long-term psychological effects through continued empirical studies and practical applications.

Suggestions

1. The suggestions from the research

From the research result of the 1st objective, it was found that elderly women face challenges across physical, psychological, and social dimensions, including loneliness, declining health, and loss of social roles. Vipassana meditation practice helped improve emotional regulation, self-acceptance, and psychological empowerment.

Therefore, the related institutes such as elderly care centers, community health centers, and meditation centers should apply this knowledge by developing meditation programs tailored for elderly women, incorporating chair-based meditation, shorter sessions, and supportive environments to address their specific needs.

From the research result of the 2nd objective, it was found that participating in intensive Vipassana meditation retreats improved stress reduction, emotional regulation, resilience, and social connectedness among elderly women.

Therefore, the related institutes should organize structured Vipassana meditation retreats and training programs for elderly women, while also providing follow-up support systems such as community practice groups and peer networks to sustain the benefits.

From the research result of the 3rd objective, it was found that a structured Vipassana Meditation Practice Model, integrating sitting meditation, body scan, mindful walking, and loving-kindness meditation, can effectively enhance psychological well-being and empowerment when adapted for elderly needs.

Therefore, the Peace Studies Program, Mahachulalongkornrajavidyalaya University, together with relevant eldercare organizations, should integrate this model into community-based mindfulness initiatives and eldercare programs to promote holistic aging and lifelong empowerment.

2. The suggestions for future research

The future research should involve the following issues:

2.1 Conduct longitudinal studies to evaluate the long-term effects of the Vipassana Meditation Practice Model on elderly women's psychological well-being and empowerment.

2.2 Compare the effectiveness of Vipassana meditation with other mindfulness-based interventions across different cultural and demographic groups of elderly populations.

2.3 Explore the integration of digital technology, such as mobile applications and online platforms, to support home-based and self-directed Vipassana meditation practices for elderly women.

References

- Analayo, B. (2003). *Satipatthana: The Direct Path to Realization*. Cambridge, UK: Windhorse Publications.
- Bandura, A. (1997). *Self-Efficacy: The Exercise of Control*. New York: Freeman.
- Berkman, L. F. (2020). Socioeconomic Status and Social Participation. *Annual Review of Public Health*, 41, 261–275.
- Bhikkhu Bodhi. (2011). *The Noble Eightfold Path: Way to the End of Suffering*. Kandy: Buddhist Publication Society.
- Buddhaghosa. (2010). *Visuddhimagga* (Bhikkhu Ñāṇamoli, Trans.). Kandy: Buddhist Publication Society.
- Charness, N. (2021). Digital Literacy in Aging Populations. *Innovation in Aging*, 5(2), 13–27.
- Gethin, R. (2015). *The Foundations of Buddhism*. Oxford: Oxford University Press.
- Gunaratana, B. H. (2011). *Mindfulness in Plain English*. Somerville, MA: Wisdom Publications.
- Hart, W. (1987). *The Art of Living: Vipassana Meditation as Taught by S. N. Goenka*. New York: HarperOne.
- Hetherington, I. (2003). *Realizing Change: Vipassana Meditation in Action*. Onalaska, WA: Pariyatti Press.
- Hofstede, G. (2010). *Culture and Organizations: Software of the Mind*. (3rd ed.). New York: McGraw-Hill.
- Knodel, J., & Chayovan, N. (2021). Family Support for the Elderly in Thailand. *Asian Journal of Gerontology and Geriatrics*, 14, 25–35.
- Mahachulalongkornrajavidyalaya University. (1982). *Tipitaka Pali Version: Siamrath 1982 Edition*. Bangkok: Mahamakut Buddhist University Press.
- Mahachulalongkornrajavidyalaya University. (1992). *Tipitaka Pali Version: Mahachulatepitaka 1957 Edition*. Ayutthaya: Mahachulalongkornrajavidyalaya University Press.
- Mahachulalongkornrajavidyalaya University. (1996). *Tipitaka Thai Version*. Ayutthaya: Mahachulalongkornrajavidyalaya University Press.
- Mahamakut Buddhist University. (1991). *Tipitaka and Atthakatha Translated Version* (91-Set Edition). Bangkok: Mahamakut Buddhist University Press.
- Mahāsi Sayadaw. (2016). *Manual of Insight*. (Thein Nyun, Trans.). Somerville, MA: Wisdom Publications.
- Manushya Foundation. (2021). *Joint UPR Submission: Elderly Rights in Thailand*. Retrieved May 18, 2025, from <https://www.manushyafoundation.org>
- National Committee on Aging. (2023). *The Impact of Elderly Workforce Participation*. Bangkok: NCA.
- National Institute on Aging. (2022). *The Impact of Social Participation on Cognitive Decline*. Retrieved April 20, 2025, from <https://www.nia.nih.gov>

- National Statistical Office of Thailand. (2017). *Survey of Older Persons in Thailand*. Bangkok: NSO.
- National Statistical Office of Thailand. (2021). *Elderly Living Arrangements and Social Support*. Bangkok: NSO.
- Pew Research Center. (2021). *Technology Use Among Seniors*. Washington, DC: Pew Research Center.
- Smith, A. (2019). Intergenerational Programs and Their Impact on Elderly Well-Being. *Journal of Aging Studies*, 45, 22–36.
- Thailand Ministry of Public Health. (2022). *Health and Aging Statistics*. Bangkok: Ministry of Public Health.
- Wikipedia. (2024). *Satipatthana Sutta*. Retrieved March 22, 2025, from https://en.wikipedia.org/wiki/Satipatthana_Sutta
- World Bank. (2023). *Thailand Demographic Trends and Economic Growth*. Washington, DC: World Bank.